- **Q. No.: 101** Muscles forming boundaries of digastric triangle are all except **Options:**
- 1) Anterior belly of digastric
- 2) Posterior belly of digastric
- 3) Stylohyoid
- 4) Sternocleidomastoid

Correct Answer: 4) Sternocleidomastoid

- Q. No.: 102 Which of the following area is known as the dangerous area of the scalp Options:
- 1) Skin
- 2) Superficial Fascia
- 3) Deep Fascia
- 4) Loose Areolar Tissue

Correct Answer: 4) Loose Areolar Tissue

- Q. No.: 103 A person was unable to close his right eye. There is dribbling of saliva from right angle of his mouth and he in unable to make a pout. The probable diagnosis is
- **Options:**
- 1) Bell's Palsy
- 2) Trigeminal Neuralgia
- 3) Optic Nerve Injury
- 4) Oculomotor Nerve Injury

Correct Answer: 1) Bell's Palsy

- Q. No.: 104 Radiographic 'Shenton's Line' is observed in respect of which joint Options:
- 1) Hip Joint
- 2) Knee Joint
- 3) Shoulder Joint
- 4) Elbow Joint

Correct Answer: 1) Hip Joint

Q. No.: 105 - Ketone bodies are utilized by all tissues except

- 1) Liver
- 2) Muscle
- 3) Heart
- 4) Kidney

Correct Answer: 1) Liver

Q. No.: 106 - The most abundant protein in the body is

Options:

- 1) Albumin
- 2) Globulin
- 3) Collagen
- 4) Fibrinogen

Correct Answer: 3) Collagen

Q. No. : 107 - Which of the following is the most universally accepted and sensitive indicator of the whole population and the socio-economic condition under which they live

Options:

- 1) Disability Rate
- 2) Infant Mortality Rate
- 3) Under-5 Proportionate Mortality Rate
- 4) Life Expectancy

Correct Answer: 2) Infant Mortality Rate

Q. No.: 108 - Which of the following characteristic should be considered most important while applying a screening test in lethal disease like cancer

Options:

- 1) Sensitivity
- 2) Specificity
- 3) Simplicity
- **4**) Rapidity

Correct Answer: 1) Sensitivity

Q. No.: 109 - Which one among the following is **not** considered as millet

Options:

- 1) Jowar
- 2) Bajra
- 3) Maize
- 4) Ragi

Correct Answer: 3) Maize

Q. No.: 110 - Out of the following, which is the most ideal time for insertion of an intra uterine contraceptive device?

Options:

1) Immediate post-partum i.e. within first week of delivery

- 2) Post-puerperal i.e. 6-8 weeks after delivery
- 3) Immediately after second trimester legal abortion
- 4) During last week of menstrual cycle

Correct Answer: 2) Post-puerperal i.e. 6-8 weeks after delivery

Q. No.: 111 - Most reliable method of identification of a person is

Options:

- 1) Galton method
- 2) Gustafson method
- **3**) Anthropometry
- 4) Scars

Correct Answer: 1) Galton method

Q. No.: 112 - Flaying is seen in which type of laceration

Options:

- 1) Split
- 2) Avulsion
- 3) Tear
- 4) Stretch

Correct Answer: 2) Avulsion

Q. No.: 113 - 'Absence of pain, where it could be expected' is a noticeable feature of Options:

- 1) Antim crud.
- 2) Aconite
- 3) Coffea
- 4) Baptisia

Correct Answer: 1) Antim crud.

Q. No.: 114 - "Cool sweat on the face, especially around the mouth and nose" is a feature of

Options:

- 1) Chamomilla
- 2) Rheum
- 3) Opium
- 4) Natrum mur.

Correct Answer: 2) Rheum

Q. No.: 115 - A Patient complains of 'Beating of pulses throughout the body, especially in the right thigh'. The remedy indicated for this patient is

Options:

- 1) Belladonna
- 2) Glonoine
- 3) Baryta mur.
- 4) Veratrum viride

Correct Answer: 4) Veratrum viride

Q. No.: 116 - According to J.T. Kent, which remedy is especially indicated in those persons who manifest momentary fleeting inquisitiveness, jumping from one subject to another

Options:

- 1) Aethusa cynapium
- 2) Ambra grisea
- 3) Petroleum
- 4) Silicea

Correct Answer: 2) Ambra grisea

Q. No.: 117 - "Cannot bear to be touched, starts when touched ever so lightly, especially on the feet" is a feature of

Options:

- 1) Lachesis
- 2) Lycopodium
- 3) Medorrhinum
- 4) Kali carb.

Correct Answer: 4) Kali carb.

Q. No.: 118 - In a patient suffering from ARCUS SENILIS, which Chapter of Kent's repertory needs to be referred to find medicines specifically covering this pathology.

Options:

- **1**) Eye
- 2) Vision
- 3) Generalities
- 4) Head

Correct Answer: 1) Eye

Q. No.: 119 - Which of the following concept is Fundamental basis of Boenninghausen's Therepeutic Pocket Book.

- 1) Doctrine of Tautopathy
- 2) Doctrine of Pathological General
- 3) Doctrine of Analogy
- 4) Doctrine of Nosodotherapy

Correct Answer: 3) Doctrine of Analogy

Q. No.: 120 - 'Wraps up in Fur in summers' is found in which chapter of Kent's Repertory Options:

- 1) Mind
- 2) Extremities
- 3) Fever
- 4) Generalities

Correct Answer: 1) Mind

Q. No.: 121 -

Match the following medicines with their time of Aggravation of Heat

Stage in FEVER as given in Kent's Repertory

- i) Chamomilla
- a) 9 am
- ii) Bryonia
- b) 4 8 pm
- iii) Hellebores
- c) 9 pm

Options:

- 1) i-a, ii-c, iii-b
- **2**) i-a, ii-b, iii-c
- 3) i-b, ii-a, iii-c
- 4) i-c, ii-b, iii-a

Correct Answer: 1) i-a, ii-c, iii-b

- **Q. No. : 122** The only remedy for Rubric "BESEECHING" in mind section of BBCR is **Options:**
- 1) Arsenic Alb
- 2) Belladonna
- 3) Stramonium
- 4) Lachesis

Correct Answer: 3) Stramonium

Q. No.: 123 - No flatus emitted upward or downward, especially after abdominal operation, is a feature of

Options:

- 1) Anacardium
- 2) Bryonia
- 3) Carbo veg.
- 4) Raphanus

Correct Answer: 4) Raphanus

Q. No.: 124 -

Match List I with List II and select the correct answer using the codes given below the list:

F	Remedy (List-I)		Inimical (List-II)
a)	Silicea	i)	Ranunculus bulbosus
b)	Staphysagria	ii)	Zincum met.
c)	Chamomilla	iii)	Merc. sol.
d)	Arum triphyllum	iv)	Caladium

Options:

- 1) a-iii, b-i, c-ii, d-iv
- 2) a-i, b-ii, c-iii, d-iv
- 3) a-iii, b-ii, c-iv, d-i
- 4) a-iv, b-ii, c-i, d-iii

Correct Answer: 1) a-iii, b-i, c-ii, d-iv

Q. No.: 125 -

Match List I with List II and select the correct answer using the codes given below the list:

Symptom (List-I)		Remedy (List-II)	
a)	Afraid of sharp pointed things, pins, needles	i)	Staphysagria
b)	Stitches in throat flying to the ear on swallowing, especially left	ii)	Onosmodium
c)	Feeling as if heart leaped into throat	iii)	Spigelia
d)	Sexual desire completely destroyed in	iv)	Phytolacca
	females.		

Options:

- 1) a-iii, b-i, c-iv, d-ii
- 2) a-ii, b-i, c-iv, d-iii
- 3) a-ii, b-iv, c-i, d-iii
- 4) a-iv, b-ii, c-iii, d-i

Correct Answer: 1) a-iii, b-i, c-iv, d-ii

Q. No.: 126 - The most common position of vertex at the time of engagement is Options:

- 1) Left Occipito transverse
- 2) Right Occipito transverse
- 3) Left Occipito-anterior
- 4) Right Occipito-anterior

Correct Answer: 1) Left Occipito transverse

Q. No. : 127 - Which of the following does not physiologically increase in pregnancy **Options:**

- 1) Stroke Volume
- 2) Cardiac output
- 3) Intravascular Volume
- 4) Blood Pressure

Correct Answer: 4) Blood Pressure

Q. No.: 128 - Pseudocyesis includes the following features except

Options:

- 1) Distension of abdomen
- 2) hCG levels double every 72 hours
- 3) Amenorrhoea
- 4) Morning Sickness

Correct Answer: 2) hCG levels double every 72 hours

Q. No.: 129 - Lovset maneuver in breech presentation is meant to facilitate delivery of Options:

- 1) Aftercoming head
- 2) Feet
- 3) Arms and shoulders
- 4) Trunk

Correct Answer: 3) Arms and shoulders

 $\mathbf{Q.\ No.:130}$ - In uterine prolapse, decubitus ulcer is caused by

Options:

- 1) Acute inflammation
- 2) Malignant Changes
- 3) Friction
- 4) Venous Congestion

Correct Answer: 4) Venous Congestion

Q. No. : 131 - Which of the following is characteristic radiological sign of Intra-uterine fetal death

- 1) Spalding's sign
- 2) Moses sign

- 3) Dequervain's Sign
- 4) Chvostek sign

Correct Answer: 1) Spalding's sign

Q. No.: 132 - Placenta secretes all the hormones except

Options:

- 1) HCG
- 2) Prolactin
- 3) Estrogen
- 4) Human Placental Lactogen

Correct Answer: 2) Prolactin

- Q. No.: 133 Which of the following statement is FALSE regarding Krukenberg tumors Options:
- 1) They are primary ovarian carcinomas that always secondarily metastasize to Gastrointestinal organs
- 2) They are almost invariably bilateral
- 3) There is no infiltration through the capsule
- **4**) They are freely movable in pelvis

Correct Answer: 1) They are primary ovarian carcinomas that always secondarily metastasize to Gastrointestinal organs

Q. No.: 134 - Which one of the following type of chronic disease was considered by Hahnemann as most deplorable and most incurable

Options:

- 1) Artificial Chronic diseases
- 2) Pseudo chronic diseases
- **3**) Epidemic diseases
- 4) True chronic miasmatic diseases

Correct Answer: 1) Artificial Chronic diseases

Q. No.: 135 - In remedy reaction, where the aggravation is quick, short and strong with rapid improvement of patient, inference is all except

Options:

- 1) There are no structural changes
- 2) Disease is of superficial nature
- 3) Disease has not severely affected vital organs
- 4) Changes are comparable to changes in deeper organs

Correct Answer: 4) Changes are comparable to changes in deeper organs

Q. No.: 136 - The second edition of Organon was published at

Options:

- 1) Paris
- **2**) Leipzig
- 3) Koethen
- 4) Boston

Correct Answer: 2) Leipzig

Q. No.: 137 - Psychological counselling of a patient that relieves suffering brought upon by psychological exciting factor was designated by Hahnemann as

Options:

- 1) Cryotherapy
- 2) Iatrogenesis
- 3) Moral Remedy
- 4) Tautopathy

Correct Answer: 3) Moral Remedy

Q. No. : 138 - The Fundamental law of Palliation in Homoeopathic treatment of Incurable disease condition is

Options:

- 1) Law of Similars
- 2) Aequalia Aequalibus Curentur
- 3) Contraria Contraris Curentur
- **4**) Enantiopathy

Correct Answer: 1) Law of Similars

Q. No.: 139 - According to Stuart Close, the Second best remedy is

Options:

- 1) Antipathic Medicine
- 2) Sulphur in Higher Dynamisation
- 3) Saccharum Lactis Officinalis
- 4) Vitamin Supplement

Correct Answer: 3) Saccharum Lactis Officinalis

Q. No.: 140 - The peculiarity of Homeopathic treatment of PRIMARY Stage of PSORA is that it demands

- 1) Specific Remedy In Large Doses
- 2) Surgical Intervention
- 3) Local Application
- 4) Nosodotherapy

Correct Answer: 1) Specific Remedy In Large Doses

Q. No.: 141 - According to Hahnemann, which scale of potency is capable of producing medicines of highest development of power and mildest action

Options:

- 1) Straight Potency
- 2) Jumping Potency
- 3) Decimal Stale of Potency
- 4) Fifty Millesimal Scale of Potency

Correct Answer: 4) Fifty Millesimal Scale of Potency

Q. No.: 142 - "Coldness with aversion to being covered" is an example of

Options:

- 1) Mental General
- 2) Kent's Particular Symptom
- 3) Garthe Boericke's Basic Symptom
- 4) Negative General Symptom

Correct Answer: 4) Negative General Symptom

Q. No.: 143 - "Sudden Fainting from least smell of cooking oil" is an example of Options:

- 1) Local Disease
- 2) Intermittent Disease
- 3) Surrogates
- 4) Idiosyncrasy

Correct Answer: 4) Idiosyncrasy

Q. No. : 144 - Which of the following article of Hahnemann is considered as precursor of ORGANON

Options:

- 1) The Friends of Health
- 2) The Medicine of Experience
- **3**) The Medical Observer
- 4) Cure and Prevention of Asiatic Cholera

Correct Answer: 2) The Medicine of Experience

Q. No.: 145 - H.A. Robert's concept of "DEFLECTED CURRENT" Signifies Options:

- 1) Electrocution
- 2) Magnetism

- 3) Obstacle to Cure
- 4) Galvanism

Correct Answer: 3) Obstacle to Cure

Q. No.: 146 - Hahnemann conceived idea of Cinchona bark experiment during the translation of

Options:

- 1) Monroe's "Materia Medica"
- 2) Cullen's "Treatise on Materia Medica"
- 3) Lewin's "Secondary Effects of Remedies"
- 4) Herings "Guiding Symptoms of Materia Medica"

Correct Answer: 2) Cullen's "Treatise on Materia Medica"

Q. No.: 147 -

Match the following: -

- i) Brousseau a) Human Drug Proving
- ii) Albrecht von Haller b) Contraria Contraris
- iii) Galen c) Bloodletting

Options:

- **1**) i-a, ii-b, iii-c
- 2) i-b, ii-c, iii-a,
- 3) i-c, ii-a, iii-b,
- **4**) i-a, ii-c, iii-b,

Correct Answer: 3) i-c, ii-a, iii-b,

Q. No.: 148 - The method used for preparing tincture from the mucilaginous and gummy substances from vegetable or animal kingdom is

Options:

- 1) Distillation
- 2) Sublimation
- 3) Maceration
- 4) Crystallisation

Correct Answer: 3) Maceration

Q. No.: 149 - Who introduced the Decimal Scale of potency

- 1) Dr S. Hahnemann
- 2) Dr C. Hering
- 3) Dr H.A. Robert
- 4) Dr J.T. Kent

Correct Answer: 2) Dr C. Hering

Q. No. : 150 - Which of the following is NOT a characteristic of Sugar of milk **Options:**

- 1) It is odourless
- 2) It is milky white
- 3) It is soluble in alcohol
- 4) It is an important solid vehicle

Correct Answer: 3) It is soluble in alcohol

Q. No.: 151 - Cones are prepared from

Options:

- 1) Milk Sugar
- 2) Mixture of Glucose and distilled water
- 3) Mixture of Cane Sugar and Egg albumin
- 4) Dextrose

Correct Answer: 3) Mixture of Cane Sugar and Egg albumin

Q. No.: 152 - Which part of the plant of Cinchona officinalis is used for its preparation Options:

- 1) Bark
- 2) Stem with leaves
- 3) Roots
- 4) Whole plant

Correct Answer: 1) Bark

Q. No.: 153 - The principal site of peripheral resistance in circulation is Options:

- 1) Large arteries
- 2) Arterioles
- 3) Capillaries
- 4) Veins

Correct Answer: 2) Arterioles

- **Q. No. : 154** The rise in basal body temperature at the time of ovulation is because of **Options:**
- 1) Decreased estrogen
- 2) Increased Progesterone
- 3) Decreased Leutinizing hormone
- 4) Increased Follicular Stimulating hormone

Correct Answer: 2) Increased Progesterone

- Q. No.: 155 An 11 year old girl presents with the following complaints
- (1) Difficulty in climbing upstairs and combing her hair
- (2) Maculopapular rash over MCP joints
- (3) Gower's sign Positive. The most appropriate investigation to be advised is

Options:

- **1**) ESR
- 2) Creatine Kinase
- 3) RA Factor
- 4) ANA antibodies test

Correct Answer: 2) Creatine Kinase

Q. No.: 156 - All are features of scurvy except

Options:

- 1) Bitot's spots
- 2) Sub periosteal bleeding
- **3**) Follicular hyperkeratosis
- 4) Cork screw hair

Correct Answer: 1) Bitot's spots

Q. No.: 157 - DIC can occur in all of the following except

Options:

- 1) Placenta Praevia
- 2) Haemophilia
- 3) Falciparum Malaria
- 4) Snake Bite

Correct Answer: 2) Haemophilia

Q. No.: 158 - The liver enzyme which is sensitive indicator of liver cell injury and is most helpful in recognizing acute hepatocellular diseases is

Options:

- 1) Alkaline Phosphatase
- 2) Aspartate aminotransferase
- 3) Gamma glutamyl Transpeptidase
- 4) Creatine Phosphokinase

Correct Answer: 2) Aspartate aminotransferase

Q. No.: 159 - Which of these conditions will be associated with steatorrhea.

- 1) Primary lactase deficiency
- 2) Pernicious anemia
- 3) Ulcerative colitis
- 4) Chronic Pancreatitis

Correct Answer: 4) Chronic Pancreatitis

- **Q. No. : 160** The Spirometry finding found during episodes of Bronchial Asthma is **Options:**
- 1) Marked reduction in FVC
- 2) Normal or increased FEV1/FVC ratio
- 3) Marked reduction in FEV1
- **4**) Increased peak expiratory Flow

Correct Answer: 3) Marked reduction in FEV1

- **Q. No.: 161** Following observations were made during examination of a newborn child. On the basis of given observations, ascertain the APGAR score
- (1) Newborn makes grimaces on stimulation of sole of the Foot.
- (2) Respiration slow & irregular
- (3) Heart rate -90/min
- (4) There was some flexion of the limbs
- (5) Color of the body was pink

Options:

- 1) 5
- **2**) 6
- **3**) 7
- **4**) 8

Correct Answer: 2) 6

Q. No.: 162 - A middle aged female presented with following symptoms - Hirsutism, fragility of skin, with easy bruising, broad purplish striae and signs of proximal myopathy. The first step in confirming the diagnosis will be

Options:

- 1) Advice 24 hours urinary free cortisol excretion
- 2) Exclude exogenous Glucocorticoid use
- 3) Advice plasma ACTH estimation
- 4) Advice dexamethasone overnight test

Correct Answer: 2) Exclude exogenous Glucocorticoid use

Q. No.: 163 - Pretibial myxedema is a feature of

- 1) Diabetes mellitus
- 2) Hypothyroidism

- 3) Grave's Disease
- 4) Malignancy

Correct Answer: 3) Grave's Disease

- Q. No.: 164 Which of the following statement(s) about epileptic seizure is/are correct
- (1)"Jacksonian march" represents spread of seizure activity over motor cortex
- (2) Focal seizures of temporal cortex cause psychic symptoms
- (3) Typical absence seizures are followed by post ictal confusion
- (4) Epilepsia partialis continua may continue for hours or days

Options:

- 1) 1, 2 and 4
- **2**) 3 and 4
- **3**) 1 and 4
- **4**) 2, 3 and 4

Correct Answer: 1) 1, 2 and 4

Q. No.: 165 - Myasthenia Gravis is characterized by

Options:

- 1) Decrease in acetylcholine reserve in motor nerve terminal
- 2) Decrease in dopamine reserve in motor nerve terminal
- 3) Decrease in receptors for acetylcholine
- 4) Decrease in dopamine receptors

Correct Answer: 3) Decrease in receptors for acetylcholine

Q. No.: 166 - How many medicines were added by Dr. T.F Allen in the section of Relationship of Remedies of Therapeutic Pocket Book.

Options:

- 1) 20
- **2**) 21
- **3**) 148
- 4) 220

Correct Answer: 2) 21

Q. No.: 167 - The first edition of the Homeopathic Therapeutics of Diarrhoea by J.B Bell was published in Year

Options:

- **1**) 1869
- **2**) 1879
- **3**) 1881
- **4**) 1882

Correct Answer: 1) 1869

Q. No.: 168 - Which of following statement is not correct for rubric 'Pulse'.

Options:

- 1) In Kent's Repertory, Pulse is given in Generalities
- 2) In BBCR, Pulse is given in Circulation
- 3) In TPB, Pulse is given in Sensation
- 4) In Knerr's Repertory, Pulse is given as separate chapter

Correct Answer: 3) In TPB, Pulse is given in Sensation

Q. No.: 169 - Which of following statement is **not** Correct.

Options:

- 1) Gentry repertory has 420 medicines
- 2) In Knerr's Repertory, Sensorium chapter is given
- 3) Boericke repertory has 2 gradation
- 4) Emergency conditions chapter is given in Knerr's Repertory

Correct Answer: 4) Emergency conditions chapter is given in Knerr's Repertory

Q. No.: 170 - Who introduced gradation of remedies in Repertory.

Options:

- 1) Dr. Cipher
- 2) Dr. Boenninghausen
- 3) Dr. Jahr
- 4) Dr. Lippe

Correct Answer: 2) Dr. Boenninghausen

Q. No.: 171 - 'Abscess in perineum' is given in which chapter of Kent's Repertory Options:

- 1) Genitalia
- 2) Skin
- 3) Generalities
- 4) Rectum

Correct Answer: 4) Rectum

Q. No.: 172 - Which of the following chapter of Kent's Repertory did not show the alphabetic arrangement of rubrics.

- 1) Cough
- 2) Hearing
- 3) Prostate
- 4) Vision

Correct Answer: 1) Cough

Q. No.: 173 - In which of the following chapter of Kent's Repertory of Homoeopathic Materia Medica, you will NOT find the rubric 'Aphthae'.

Options:

- 1) Face
- 2) Mouth
- 3) Genitalia Female
- 4) Generalities

Correct Answer: 4) Generalities

- **Q. No. : 174** Which of following statement is **incorrect** according to BBCR Repertory **Options:**
- 1) Radiating pain is given under Sensation & Complaints in General
- 2) Typhoid fever is given under Fever Pathological types
- 3) Pregnancy is given under Sexual Impulse
- 4) Tetters is given in Skin & Exterior body

Correct Answer: 3) Pregnancy is given under Sexual Impulse

Q. No.: 175 - Rubric for 'Abortion' is given in which of following chapter of Therapeutic Pocket Book

Options:

- 1) Sexual organ
- 2) Leucorrhoea
- 3) Menstruation
- 4) Sensation

Correct Answer: 3) Menstruation

- **Q. No. : 176** In which of following Dr. Boenninghausen's repertory, Dr. Samuel Hahnemann has given introduction on the Repetition of Homoeopathic medicines **Options:**
- 1) A Cure of cholera & its preventatives
- 2) A Systematic alphabetic Repertory of Homoeopathic Remedies
- 3) Attempt at Homoeopathic Therapy of Intermittent fever
- 4) Attempt at showing Relative kinship of Homeopathic medicines

Correct Answer: 2) A Systematic alphabetic Repertory of Homoeopathic Remedies

- **Q. No. : 177** Which of the following is characteristic feature of Le Fort II fracture **Options:**
- 1) The fracture line runs through the root of the nose, lacrimal bone, floor of orbit, upper

part of maxillary sinus and pterygoid plates

- 2) The fracture line runs above and parallel to the palate and crosses lower part of nasal septum, maxillary antra and the pterygoid plates
- 3) Complete separation of the facial bones from the cranial bones
- 4) Isolated fracture of orbital floor

Correct Answer: 1) The fracture line runs through the root of the nose, lacrimal bone, floor of orbit, upper part of maxillary sinus and pterygoid plates

Q. No.: 178 - Kehr's sign is a classical feature of

Options:

- 1) Rupture of liver
- 2) Acute pancreatitis
- 3) Acute intestinal obstruction
- **4**) Rupture of spleen

Correct Answer: 4) Rupture of spleen

Q. No.: 179 - Which of the following medical sign is observed in Latent Tetany Options:

- 1) Trousseau's sign
- 2) Pratt's sign
- 3) Blumberg's sign
- 4) Fox's sign

Correct Answer: 1) Trousseau's sign

Q. No.: 180 - Among the following which is **not** the feature of Paget's disease of Breast Options:

- 1) Itching
- 2) Unilateral presentation
- 3) Nipples usually destroyed
- 4) Underlying lump is usually present

Correct Answer: 1) Itching

Q. No.: 181 - Which among the following BIRADS category is highly suggestive of malignancy

Options:

- 1) BIRADS- V
- 2) BIRADS III
- 3) BIRADS-II
- 4) BIRADS-0

Correct Answer: 1) BIRADS- V

Q. No.: 182 - 40 year old lady presented with swelling in the right side of the upper part of the neck below the ear lobule for last 10 years. Swelling is painless and gradually growing. On examination of the swelling, the surface is smooth, margins are well defined, and is free from skin and underlying structures. Histologically, architectural pleomorphism is seen. What is the most probable diagnosis

Options:

- 1) Lipoma
- 2) Rhabdomyosarcoma
- 3) Chronic sialadenitis
- 4) Mixed parotid tumour

Correct Answer: 4) Mixed parotid tumour

Q. No.: 183 - Radiological 'Colon cut off sign' is seen in

Options:

- 1) Acute intussusception
- 2) Acute lobar pneumonia
- 3) Acute pancreatitis
- 4) Crohn's disease

Correct Answer: 3) Acute pancreatitis

Q. No.: 184 - Which is the most common site of pressure sore

Options:

- 1) Sacrum
- 2) Heel
- 3) Ischium
- **4**) Greater Trochanter

Correct Answer: 3) Ischium

Q. No.: 185 - Which of the following has drum stick appearance

Options:

- 1) Clostridium tetani
- 2) Pneumococcus
- 3) Streptococcus pneumoniae
- 4) Staphylococcus epidermis

Correct Answer: 1) Clostridium tetani

Q. No.: 186 - Barium swallow study of a patient suffering from dysphagia revealed Bird's beak appearance of esophagus. The most probable diagnosis is

Options:

1) Reflux esophagitis

- 2) Barrett's esophagus
- 3) Hiatus hernia
- 4) Achalasia cardia

Correct Answer: 4) Achalasia cardia

Q. No.: 187 - Asthma worse in foggy weather and relieved by profuse perspiration, is seen in

Options:

- 1) Hypericum
- 2) Lachesis
- 3) Sambucus
- 4) Carbo veg.

Correct Answer: 1) Hypericum

Q. No.: 188 - According to J.T. Kent, one of the best remedies for retention of urine in the new born is

Options:

- 1) Chamomilla
- 2) Podophyllum
- 3) Aconitum napellus
- 4) Dulcamara

Correct Answer: 3) Aconitum napellus

Q. No.: 189 - Diarrhoea like dirty water, from fruit or sour krout is seen in

Options:

- 1) Cinchona
- 2) Croton tig.
- 3) Petroleum
- 4) Bryonia alba

Correct Answer: 4) Bryonia alba

Q. No.: 190 - Which of the following medicine is **not** included in Nash's trio of weakness.

Options:

- 1) Carbo veg.
- 2) Arsenicum album
- 3) Muriatic acid
- 4) Cinchona

Correct Answer: 4) Cinchona

Q. No.: 191 - Coffea cruda belongs to the family of

Options:

- 1) Liliaceae
- 2) Papaveraceae
- 3) Rubiaceae
- 4) Umbelliferae

Correct Answer: 3) Rubiaceae

Q. No.: 192 - Which remedy has vomiting, bilious with anxiety and weak pulse, every month after mensturation, cannot lie on right side or back without instantly producing dark green vomiting.

Options:

- 1) Argentum nitricum
- 2) Antimonium tart.
- 3) Crotalus horridus
- 4) Carbolic acid

Correct Answer: 3) Crotalus horridus

Q. No.: 193 - This remedy can be given in pertussis, after Drosera has relieved the severe symptoms

Options:

- 1) Cina
- 2) Cuprum met.
- 3) Corallium rubrum
- 4) Euphrasia

Correct Answer: 1) Cina

Q. No.: 194 - Red infarct are seen in

Options:

- 1) Lungs
- 2) Kidneys
- 3) Spleen
- 4) Bones

Correct Answer: 1) Lungs

Q. No.: 195 - Urine examination (Benedict's test) of a 40 yr old obese male showed a brick red precipitate. This can result from all except

- 1) Diabetes Mellitus
- 2) Drugs
- 3) Acute post-streptococcal glomerulonephritis
- 4) Cushing's syndrome

Correct Answer: 3) Acute post-streptococcal glomerulonephritis

Q. No.: 196 - Hemophilia A is characterised by deficiency of

Options:

- 1) Factor VII
- 2) Factor VIII
- 3) Factor IX
- 4) Factor XI

Correct Answer: 2) Factor VIII

Q. No.: 197 - Serum ferritin is a maker of

Options:

- 1) Circulating Iron
- 2) Storage iron
- **3**) Folate
- 4) Vitamin B12 Levels

Correct Answer: 2) Storage iron

Q. No.: 198 - Sjogren's syndrome is a chronic disease characterized by which of the following clinical feature:

Options:

- 1) Esophageal dysmotility
- 2) Keratoconjunctivitis sicca
- 3) Widespread damage to small blood vessels
- 4) Libmann Sachs Endocardititis

Correct Answer: 2) Keratoconjunctivitis sicca

Q. No.: 199 - Which of the following is the most common cause of Hypothyroidism in iodine sufficient area?

Options:

- 1) Iatrogenic hypothyroidism
- 2) Post-partum thyroiditis
- **3**) Autoimmune thyroiditis
- 4) Thyroid aplasia

Correct Answer: 3) Autoimmune thyroiditis

Q. No.: 200 - A 20 yr. old female patient presents with pain in thyroid region of the neck since few days. She gives recent history of mumps. On palpation thyroid is tender and her thyroid function test reveals raised levels of T3, T4 and low TSH. Iodine uptake is also low. Probable diagnosis in this case is:

Options:

- 1) de Quervain's thyroiditis
- 2) Silent thyroiditis
- 3) Primary thyrotoxicosis
- 4) Hashimoto's thyroiditis

Correct Answer: 1) de Quervain's thyroiditis